showlite SHELL SCHEME EXTRAS FORM





T: 01264 365550 E: Exhibitorsales@showlite.co.uk www.showlite.co.uk

Invoice Details	
-----------------	--

Purchase Order No:		
Invoice Company Name:		Stand Details
Invoice Contact name:	Exhibiting Company Name:	
Invoice Address:	Stand Number:	
Post Code:		
Tel No:		
VAT Number:		
Email Address for invoice:		After
	Early Bird	26/09/2024

	Early Bird	20,00,2021		
Please specify the position of each item using the grid on page 2.	Cost	Cost	Quantity	Total Cost
Wall Panel - 2.5m (h) x 1m to match shell scheme	£54.50	£65.35		
Door Section 2.5m (h) x 1m to match shell scheme	£90.75	£108.90		
Curtained Entrance 2.5m x 1m, please specify colour : Black or White	£66.55	£79.85		
18mm MDF Infill panel, to allow for wall mounting of TV's or products. Max weight 35kg	£93.50	£112.20		
Slat wall panel to replace standard wall panel (please contact us if you require hooks)	£72.60	£87.12		
Flat shelf - 1m long x 300mm deep (an additional fee of £20 per shelf will be added if ordering with flush fitting graphics to notch graphics on site) maximum weight 12kg.	£30.25	£36.30		
Sloping shelf - 1m long x 300mm deep maximum weight 7kg.	£30.25	£36.30		
Hat & Coat hooks fixed to wall	£24.20	£29.05		
FLOORCOVERING UPGRADES *				
Shell Scheme carpet colour change with polythene (please contact us for digital swatch card)	£12.00	£14.40	sqn	ı
Premium Floorcovering - Vinyls & Velours with polythene	£20.00	£24.00	sqn	า

SHELL SCHEME GRAPHICS Early bird fee will only apply if artwork is received by 26/09/2024

Fascia Overlay Panels Per Metre	£49.50	£59.40
Flush Fitting Graphics Per Panel	£203.50	£244.20
Infill Graphics Per Panel	£192.50	£231.00
Graphic Board 1m x 1m	£93.50	£112.20
Graphic Board 2m x 1m	£187.00	£224.40





SUB TOTAL VAT 20% TOTAL

Fascia Overlay

Flush Fitting Graphic

Infill Graphic

Goods/Services will not be provided unless fully paid for in advance. If you wish to pay by Credit/Debit Card please call once in receipt of the invoice.

It is the exhibitor's responsibility to remove any polythene covering from their flooring.

*Showlite cannot guarantee the order will be processed if the order is not sent to the email address on the form. You will receive an invoice as order confirmation.

Please note all orders are subject to availability, and stock is not reserved until full payment is made.

Cheques made payable to **Showlite Ltd**. BACS details will be available on your invoice, alternatively please contact us for details. By completing this order form, you are agreeing to our Terms and Conditions. For a copy please contact us on 01264 365550.



Unit D Usk Vale Park, Cwmoody, Pontypool, NP4 0JL

showlite ADDITIONAL SHELL SCHEME INSTRUCTIONS

GLOBAL PEACE UNITY Festival

T: 01264 365550 E: Exhibitorsales@showlite.co.uk www.showlite.co.uk

Please indicate on the below grid the position of any items ordered and any height measurements for shelving or rails

с Г	Stand N	Jumber	above:		 	1	-		i	່	GRID OPTIONS
										Stand Number Right:	
ŀ										Nun	
										nber	0.25M ²
ſ										Righ	
										÷:	3X3 STAND
ŀ											
				D							
											6X6 STAND
┢							_			-	
ŀ							_			-	
ļ							[
											12X12 STAND
ŀ										-	
ľ									1		
										-	PLEASE HATCH
											UNUSED SPACE
L]	

FRONT OF STAND



ADDITIONAL NOTES

	s/sh	elf			~						\boxtimes
					lat u						
	$\boldsymbol{<}$	$\overline{}$	1		mult		\bigtriangledown	ste	re		
						\square					
20											
03mly											
Ţ											_
ģ.					4						X
								7			
											frshelf
								1		2	ref.
_				03	m[h]	FALL	in				

Please send your completed form to Exhibitorsales@showlite.co.uk

* Unless supplied with this drawing, the installation will be fitted at the stand builder's discretion. Any complaints or faults must be reported in writing before the close of the exhibition



ARTWORK SUBMISSION GUIDELINES

Our goal is to provide you with the best quality graphics for your event or exhibit. You can help us in that effort by providing digital art files using the following guidelines. The purpose is to assist you in the process of creating files that are acceptable for production. If you are sending finished print ready files, please pass this information along to your designer or art department.

PRINT READY PDF [RECOMMENDED]

High-res **PDF/X** (preferred) Ai with PDF content (choose this option when saving file) EPS files with **embedded** links and **outlined** fonts

NATIVE FILES [BACKUP]

Al file with Packaged supporting links and fonts EPS file with embedded links and outlined fonts ID file with Packaged supporting links and fonts

RASTER OR BITMAP ART

Photoshop EPS (8-bit, Max. Quality JPG compression) PSD (font layers rasterized) TIFF, JPG (quality 8 and higher)

ACCEPTED SOFTWARE



Adobe Creative Cloud software (PC or Mac).

Please always provide:

Native files with fonts and links (compressed) High-res PDF/X exports of the files. If you are using Illustrator OR InDesign use the '**Package**' feature. For all other versions of Adobe Ai (CS6, CS5... etc) please embed linked images and convert fonts to outlines. InDesign files should always be Packaged.

RESOLUTIONS

Art Submitted at 1:1 (100%) > 72dpi (100dpi preferred) Art Submitted at 2:1 (50%) > 200dpi (300dpi preferred) Art Submitted at 4:1 (25%) > 400dpi (600dpi preferred)

VECTOR ART

Logos should be vector and have outlined fonts (if containing bitmaps, please use high-res images)

FONTS & LINKS [IF REQUIRED]

Supply all **fonts** used in your design (compress Mac fonts) If unsure how to collect fonts, convert them to outlines. Supply all **links** used in your document. Use the **'packaging'** feature if available. If unsure how to collect links, embed them in the file when saving OR supply content with the native file.


COLOUR

Supply all artwork 4 Colour CMYK, Convert any RGB or SPOT content to CMYK prior to sending. If PMS colour matching is required, please use original Pantone + Solid Coated swatches in your artwork.

Modifying Pantone names will result in printing default colour (CMYK). CMYK artwork will be produced "As Is" Our colour output is balanced and vibrant.

Errors can arise when using files created by packages such as **Microsoft Word**, **Excel** and **PowerPoint**. Accordingly, the supply of formats such as gif, bmp and low resolution jpg is not advised. Any file manipulation or studio time will incur a charge. **Please contact us for a quote**.

RESOLUTION EXPLAINED



VECTORS

Files such as **EPS**, **AI** and **PDF** are excellent for creating graphics that frequently require resizing.

Your company logo and brand graphics should be supplied to us in Vector format where possible.